

# Package: blorr (via r-universe)

September 7, 2024

**Type** Package

**Title** Tools for Developing Binary Logistic Regression Models

**Version** 0.3.0.9000

**Description** Tools designed to make it easier for beginner and intermediate users to build and validate binary logistic regression models. Includes bivariate analysis, comprehensive regression output, model fit statistics, variable selection procedures, model validation techniques and a 'shiny' app for interactive model building.

**Depends** R(>= 3.5)

**Imports** car, data.table, ggplot2, gridExtra, Rcpp, stats, utils

**Suggests** covr, grid, ineq, knitr, magrittr, rmarkdown, testthat, vdiff, xplorerr

**License** MIT + file LICENSE

**URL** URL: <https://blorr.rsquaredacademy.com/>,  
<https://github.com/rsquaredacademy/blorr>

**BugReports** <https://github.com/rsquaredacademy/blorr/issues>

**VignetteBuilder** knitr

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.1.0

**LinkingTo** Rcpp

**Repository** <https://rsquaredacademy.r-universe.dev>

**RemoteUrl** <https://github.com/rsquaredacademy/blorr>

**RemoteRef** HEAD

**RemoteSha** 073f672bb830080dd666c7cac4ff5d342b3ce0ac

## Contents

bank_marketing . . . . .	3
blorr . . . . .	4
blr_bivariate_analysis . . . . .	4
blr_coll_diag . . . . .	5
blr_confusion_matrix . . . . .	7
blr_decile_capture_rate . . . . .	8
blr_decile_lift_chart . . . . .	9
blr_gains_table . . . . .	10
blr_gini_index . . . . .	11
blr_ks_chart . . . . .	12
blr_launch_app . . . . .	13
blr_linktest . . . . .	14
blr_lorenz_curve . . . . .	14
blr_model_fit_stats . . . . .	15
blr_multi_model_fit_stats . . . . .	16
blr_pairs . . . . .	17
blr_plot_c_fitted . . . . .	18
blr_plot_c_leverage . . . . .	19
blr_plot_deviance_fitted . . . . .	20
blr_plot_deviance_residual . . . . .	20
blr_plot_dfbetas_panel . . . . .	21
blr_plot_diag_c . . . . .	22
blr_plot_diag_cbar . . . . .	23
blr_plot_diag_difchisq . . . . .	24
blr_plot_diag_difdev . . . . .	24
blr_plot_diag_fit . . . . .	25
blr_plot_diag_influence . . . . .	26
blr_plot_diag_leverage . . . . .	27
blr_plot_difchisq_fitted . . . . .	28
blr_plot_difchisq_leverage . . . . .	28
blr_plot_difdev_fitted . . . . .	29
blr_plot_difdev_leverage . . . . .	30
blr_plot_fitted_leverage . . . . .	31
blr_plot_leverage . . . . .	32
blr_plot_leverage_fitted . . . . .	32
blr_plot_pearson_residual . . . . .	33
blr_plot_residual_fitted . . . . .	34
blr_prep_dcrate_data . . . . .	35
blr_prep_kschart_data . . . . .	35
blr_prep_lchart_gmean . . . . .	36
blr_prep_lorenz_data . . . . .	37
blr_prep_roc_data . . . . .	37
blr_regress . . . . .	38
blr_residual_diagnostics . . . . .	38
blr_roc_curve . . . . .	39
blr_rsq_adj_count . . . . .	40

blr_rsq_count . . . . .	41
blr_rsq_cox_snell . . . . .	42
blr_rsq_effron . . . . .	43
blr_rsq_mcfadden . . . . .	44
blr_rsq_mcfadden_adj . . . . .	44
blr_rsq_mckelvey_zavoina . . . . .	45
blr_rsq_nagelkerke . . . . .	46
blr_segment . . . . .	47
blr_segment_dist . . . . .	48
blr_segment_twoway . . . . .	49
blr_step_aic_backward . . . . .	50
blr_step_aic_both . . . . .	51
blr_step_aic_forward . . . . .	53
blr_step_p_backward . . . . .	54
blr_step_p_both . . . . .	56
blr_step_p_forward . . . . .	57
blr_test_hosmer_lemeshow . . . . .	59
blr_test_lr . . . . .	60
blr_woe_iv . . . . .	61
blr_woe_iv_stats . . . . .	62
hsb2 . . . . .	63
stepwise . . . . .	63

<b>Index</b>	<b>64</b>
--------------	-----------

---

bank_marketing	<i>Bank marketing data set</i>
----------------	--------------------------------

---

## Description

The data is related with direct marketing campaigns of a Portuguese banking institution. The marketing campaigns were based on phone calls. Often, more than one contact to the same client was required, in order to access if the product (bank term deposit) would be ('yes') or not ('no') subscribed.

## Usage

```
bank_marketing
```

## Format

A tibble with 4521 rows and 17 variables:

**age** age of the client

**job** type of job

**marital** marital status

**education** education level of the client

**default** has credit in default?  
**housing** has housing loan?  
**loan** has personal loan?  
**contact** contact communication type  
**month** last contact month of year  
**day\_of\_week** last contact day of the week  
**duration** last contact duration, in seconds  
**campaign** number of contacts performed during this campaign and for this client  
**pdays** number of days that passed by after the client was last contacted from a previous campaign  
**previous** number of contacts performed before this campaign and for this client  
**poutcome** outcome of the previous marketing campaign  
**y** has the client subscribed a term deposit?

### Source

[Moro et al., 2014] S. Moro, P. Cortez and P. Rita. A Data-Driven Approach to Predict the Success of Bank Telemarketing. *Decision Support Systems*, Elsevier, 62:22-31, June 2014

---

blorr	<i>blorr package</i>
-------	----------------------

---

### Description

Tools for developing binary logistic regression models

### Details

See the README on [GitHub](#)

---

blr_bivariate_analysis	<i>Bivariate analysis</i>
------------------------	---------------------------

---

### Description

Information value and likelihood ratio chi square test for initial variable/predictor selection. Currently available for categorical predictors only.

### Usage

```

blr_bivariate_analysis(data, response, ...)

## Default S3 method:
blr_bivariate_analysis(data, response, ...)
  
```

**Arguments**

data	A tibble or a data.frame.
response	Response variable; column in data.
...	Predictor variables; columns in data.

**Value**

A tibble with the following columns:

Variable	Variable name
Information Value	Information value
LR Chi Square	Likelihood ratio statistic
LR DF	Likelihood ratio degrees of freedom
LR p-value	Likelihood ratio p value

**See Also**

Other bivariate analysis procedures: [blr\\_segment\\_dist\(\)](#), [blr\\_segment\\_tway\(\)](#), [blr\\_segment\(\)](#), [blr\\_woe\\_iv\\_stats\(\)](#), [blr\\_woe\\_iv\(\)](#)

**Examples**

```
blr_bivariate_analysis(hsb2, honcomp, female, prog, race, schtyp)
```

---

blr_coll_diag	<i>Collinearity diagnostics</i>
---------------	---------------------------------

---

**Description**

Variance inflation factor, tolerance, eigenvalues and condition indices.

**Usage**

```
blr_coll_diag(model)
```

```
blr_vif_tol(model)
```

```
blr_eigen_cindex(model)
```

**Arguments**

model	An object of class glm.
-------	-------------------------

## Details

Collinearity implies two variables are near perfect linear combinations of one another. Multicollinearity involves more than two variables. In the presence of multicollinearity, regression estimates are unstable and have high standard errors.

### *Tolerance*

Percent of variance in the predictor that cannot be accounted for by other predictors.

### *Variance Inflation Factor*

Variance inflation factors measure the inflation in the variances of the parameter estimates due to collinearities that exist among the predictors. It is a measure of how much the variance of the estimated regression coefficient  $\beta_k$  is inflated by the existence of correlation among the predictor variables in the model. A VIF of 1 means that there is no correlation among the  $k$ th predictor and the remaining predictor variables, and hence the variance of  $\beta_k$  is not inflated at all. The general rule of thumb is that VIFs exceeding 4 warrant further investigation, while VIFs exceeding 10 are signs of serious multicollinearity requiring correction.

### *Condition Index*

Most multivariate statistical approaches involve decomposing a correlation matrix into linear combinations of variables. The linear combinations are chosen so that the first combination has the largest possible variance (subject to some restrictions), the second combination has the next largest variance, subject to being uncorrelated with the first, the third has the largest possible variance, subject to being uncorrelated with the first and second, and so forth. The variance of each of these linear combinations is called an eigenvalue. Collinearity is spotted by finding 2 or more variables that have large proportions of variance (.50 or more) that correspond to large condition indices. A rule of thumb is to label as large those condition indices in the range of 30 or larger.

## Value

blr\_coll\_diag returns an object of class "blr\_coll\_diag". An object of class "blr\_coll\_diag" is a list containing the following components:

vif_t	tolerance and variance inflation factors
eig_cindex	eigen values and condition index

## References

Belsley, D. A., Kuh, E., and Welsch, R. E. (1980). Regression Diagnostics: Identifying Influential Data and Sources of Collinearity. New York: John Wiley & Sons.

## Examples

```
# model
model <- glm(honcomp ~ female + read + science, data = hsb2,
family = binomial(link = 'logit'))

# vif and tolerance
blr_vif_tol(model)

# eigenvalues and condition indices
```

```
blr_eigen_cindex(model)

# collinearity diagnostics
blr_coll_diag(model)
```

---

blr\_confusion\_matrix *Confusion matrix*

---

## Description

Confusion matrix and statistics.

## Usage

```
blr_confusion_matrix(model, cutoff = 0.5, data = NULL, ...)

## Default S3 method:
blr_confusion_matrix(model, cutoff = 0.5, data = NULL, ...)
```

## Arguments

model	An object of class glm.
cutoff	Cutoff for classification.
data	A tibble or a data.frame.
...	Other arguments.

## Value

Confusion matrix.

## See Also

Other model validation techniques: [blr\\_decile\\_capture\\_rate\(\)](#), [blr\\_decile\\_lift\\_chart\(\)](#), [blr\\_gains\\_table\(\)](#), [blr\\_gini\\_index\(\)](#), [blr\\_ks\\_chart\(\)](#), [blr\\_lorenz\\_curve\(\)](#), [blr\\_roc\\_curve\(\)](#), [blr\\_test\\_hosmer\\_lemeshow\(\)](#)

## Examples

```
model <- glm(honcomp ~ female + read + science, data = hsb2,
            family = binomial(link = 'logit'))

blr_confusion_matrix(model, cutoff = 0.4)
```

---

`blr_decile_capture_rate`*Event rate by decile*

---

### Description

Visualize the decile wise event rate.

### Usage

```
blr_decile_capture_rate(  
  gains_table,  
  xaxis_title = "Decile",  
  yaxis_title = "Capture Rate",  
  title = "Capture Rate by Decile",  
  bar_color = "blue",  
  text_size = 3.5,  
  text_vjust = -0.3,  
  print_plot = TRUE  
)
```

### Arguments

<code>gains_table</code>	An object of class <code>blr_gains_table</code> .
<code>xaxis_title</code>	X axis title.
<code>yaxis_title</code>	Y axis title.
<code>title</code>	Plot title.
<code>bar_color</code>	Bar color.
<code>text_size</code>	Size of the bar labels.
<code>text_vjust</code>	Vertical justification of the bar labels.
<code>print_plot</code>	logical; if TRUE, prints the plot else returns a plot object.

### See Also

Other model validation techniques: [blr\\_confusion\\_matrix\(\)](#), [blr\\_decile\\_lift\\_chart\(\)](#), [blr\\_gains\\_table\(\)](#), [blr\\_gini\\_index\(\)](#), [blr\\_ks\\_chart\(\)](#), [blr\\_lorenz\\_curve\(\)](#), [blr\\_roc\\_curve\(\)](#), [blr\\_test\\_hosmer\\_lemeshow\(\)](#)

### Examples

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
            family = binomial(link = 'logit'))  
gt <- blr_gains_table(model)  
blr_decile_capture_rate(gt)
```



---

blr\_decile\_lift\_chart *Decile lift chart*

---

### Description

Decile wise lift chart.

### Usage

```
blr_decile_lift_chart(  
  gains_table,  
  xaxis_title = "Decile",  
  yaxis_title = "Decile Mean / Global Mean",  
  title = "Decile Lift Chart",  
  bar_color = "blue",  
  text_size = 3.5,  
  text_vjust = -0.3,  
  print_plot = TRUE  
)
```

### Arguments

gains_table	An object of class blr_gains_table.
xaxis_title	X axis title.
yaxis_title	Y axis title.
title	Plot title.
bar_color	Color of the bars.
text_size	Size of the bar labels.
text_vjust	Vertical justification of the bar labels.
print_plot	logical; if TRUE, prints the plot else returns a plot object.

### See Also

Other model validation techniques: [blr\\_confusion\\_matrix\(\)](#), [blr\\_decile\\_capture\\_rate\(\)](#), [blr\\_gains\\_table\(\)](#), [blr\\_gini\\_index\(\)](#), [blr\\_ks\\_chart\(\)](#), [blr\\_lorenz\\_curve\(\)](#), [blr\\_roc\\_curve\(\)](#), [blr\\_test\\_hosmer\\_lemeshow\(\)](#)

### Examples

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
            family = binomial(link = 'logit'))  
gt <- blr_gains_table(model)  
blr_decile_lift_chart(gt)
```

---

blr_gains_table	<i>Gains table &amp; lift chart</i>
-----------------	-------------------------------------

---

### Description

Compute sensitivity, specificity, accuracy and KS statistics to generate the lift chart and the KS chart.

### Usage

```
blr_gains_table(model, data = NULL)

## S3 method for class 'blr_gains_table'
plot(
  x,
  title = "Lift Chart",
  xaxis_title = "% Population",
  yaxis_title = "% Cumulative 1s",
  diag_line_col = "red",
  lift_curve_col = "blue",
  plot_title_justify = 0.5,
  print_plot = TRUE,
  ...
)
```

### Arguments

model	An object of class glm.
data	A tibble or a data.frame.
x	An object of class blr_gains_table.
title	Plot title.
xaxis_title	X axis title.
yaxis_title	Y axis title.
diag_line_col	Diagonal line color.
lift_curve_col	Color of the lift curve.
plot_title_justify	Horizontal justification on the plot title.
print_plot	logical; if TRUE, prints the plot else returns a plot object.
...	Other inputs.

### Value

A tibble.

## References

Agresti, A. (2007), An Introduction to Categorical Data Analysis, Second Edition, New York: John Wiley & Sons.

Agresti, A. (2013), Categorical Data Analysis, Third Edition, New York: John Wiley & Sons.

Thomas LC (2009): Consumer Credit Models: Pricing, Profit, and Portfolio. Oxford, Oxford University Press.

Sobehart J, Keenan S, Stein R (2000): Benchmarking Quantitative Default Risk Models: A Validation Methodology, Moody's Investors Service.

## See Also

Other model validation techniques: [blr\\_confusion\\_matrix\(\)](#), [blr\\_decile\\_capture\\_rate\(\)](#), [blr\\_decile\\_lift\\_chart\(\)](#), [blr\\_gini\\_index\(\)](#), [blr\\_ks\\_chart\(\)](#), [blr\\_lorenz\\_curve\(\)](#), [blr\\_roc\\_curve\(\)](#), [blr\\_test\\_hosmer\\_lemeshow\(\)](#)

## Examples

```
model <- glm(honcomp ~ female + read + science, data = hsb2,
            family = binomial(link = 'logit'))
# gains table
blr_gains_table(model)

# lift chart
k <- blr_gains_table(model)
plot(k)
```

---

blr_gini_index	<i>Gini index</i>
----------------	-------------------

---

## Description

Gini index is a measure of inequality and was developed to measure income inequality in labour market. In the predictive model, Gini Index is used for measuring discriminatory power.

## Usage

```
blr_gini_index(model, data = NULL)
```

## Arguments

model	An object of class glm.
data	A tibble or data.frame.

## Value

Gini index.

## References

Siddiqi N (2006): Credit Risk Scorecards: developing and implementing intelligent credit scoring. New Jersey, Wiley.

Müller M, Rönz B (2000): Credit Scoring using Semiparametric Methods. In: Franke J, Härdle W, Stahl G (Eds.): Measuring Risk in Complex Stochastic Systems. New York, Springer-Verlag.

<https://doi.org/10.2753/REE1540-496X470605>

## See Also

Other model validation techniques: `blr_confusion_matrix()`, `blr_decile_capture_rate()`, `blr_decile_lift_chart()`, `blr_gains_table()`, `blr_ks_chart()`, `blr_lorenz_curve()`, `blr_roc_curve()`, `blr_test_hosmer_lemeshow()`

## Examples

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
family = binomial(link = 'logit'))
```

```
blr_gini_index(model)
```

---

blr\_ks\_chart

*KS chart*

---

## Description

Kolmogorov-Smirnov (KS) statistics is used to assess predictive power for marketing or credit risk models. It is the maximum difference between cumulative event and non-event distribution across score/probability bands. The gains table typically has across score bands and can be used to find the KS for a model.

## Usage

```
blr_ks_chart(  
  gains_table,  
  title = "KS Chart",  
  yaxis_title = " ",  
  xaxis_title = "Cumulative Population %",  
  ks_line_color = "black",  
  print_plot = TRUE  
)
```

**Arguments**

gains_table	An object of class blr_gains_table.
title	Plot title.
yaxis_title	Y axis title.
xaxis_title	X axis title.
ks_line_color	Color of the line indicating maximum KS statistic.
print_plot	logical; if TRUE, prints the plot else returns a plot object.

**References**

<https://doi.org/10.1198/tast.2009.08210>

<https://www.ncbi.nlm.nih.gov/pubmed/843576>

**See Also**

Other model validation techniques: [blr\\_confusion\\_matrix\(\)](#), [blr\\_decile\\_capture\\_rate\(\)](#), [blr\\_decile\\_lift\\_chart\(\)](#), [blr\\_gains\\_table\(\)](#), [blr\\_gini\\_index\(\)](#), [blr\\_lorenz\\_curve\(\)](#), [blr\\_roc\\_curve\(\)](#), [blr\\_test\\_hosmer\\_lemeshow\(\)](#)

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,
            family = binomial(link = 'logit'))
gt <- blr_gains_table(model)
blr_ks_chart(gt)
```

---

blr\_launch\_app      *Launch shiny app*

---

**Description**

Launches shiny app for interactive model building.

**Usage**

```
blr_launch_app()
```

**Examples**

```
## Not run:
blr_launch_app()

## End(Not run)
```

---

blr_linktest	<i>Model specification error</i>
--------------	----------------------------------

---

**Description**

Test for model specification error.

**Usage**

```
blr_linktest(model)
```

**Arguments**

model            An object of class glm.

**Value**

An object of class glm.

**References**

Pregibon, D. 1979. Data analytic methods for generalized linear models. PhD diss., University of Toronto.

Pregibon, D. 1980. Goodness of link tests for generalized linear models.

Tukey, J. W. 1949. One degree of freedom for non-additivity.

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
family = binomial(link = 'logit'))
```

```
blr_linktest(model)
```

---

blr_lorenz_curve	<i>Lorenz curve</i>
------------------	---------------------

---

**Description**

Lorenz curve is a visual representation of inequality. It is used to measure the discriminatory power of the predictive model.

**Usage**

```
blr_lorenz_curve(  
  model,  
  data = NULL,  
  title = "Lorenz Curve",  
  xaxis_title = "Cumulative Events %",  
  yaxis_title = "Cumulative Non Events %",  
  diag_line_col = "red",  
  lorenz_curve_col = "blue",  
  print_plot = TRUE  
)
```

**Arguments**

model	An object of class glm.
data	A tibble or data.frame.
title	Plot title.
xaxis_title	X axis title.
yaxis_title	Y axis title.
diag_line_col	Diagonal line color.
lorenz_curve_col	Color of the lorenz curve.
print_plot	logical; if TRUE, prints the plot else returns a plot object.

**See Also**

Other model validation techniques: [blr\\_confusion\\_matrix\(\)](#), [blr\\_decile\\_capture\\_rate\(\)](#), [blr\\_decile\\_lift\\_chart\(\)](#), [blr\\_gains\\_table\(\)](#), [blr\\_gini\\_index\(\)](#), [blr\\_ks\\_chart\(\)](#), [blr\\_roc\\_curve\(\)](#), [blr\\_test\\_hosmer\\_lemeshow\(\)](#)

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
  family = binomial(link = 'logit'))  
  
blr_lorenz_curve(model)
```

---

blr\_model\_fit\_stats    *Model fit statistics*

---

**Description**

Model fit statistics.

**Usage**

```
blr_model_fit_stats(model, ...)
```

**Arguments**

model	An object of class glm.
...	Other inputs.

**References**

Menard, S. (2000). Coefficients of determination for multiple logistic regression analysis. *The American Statistician*, 54(1), 17-24.

Windmeijer, F. A. G. (1995). Goodness-of-fit measures in binary choice models. *Econometric Reviews*, 14, 101-116.

Hosmer, D.W., Jr., & Lemeshow, S. (2000), *Applied logistic regression*(2nd ed.). New York: John Wiley & Sons.

J. Scott Long & Jeremy Freese, 2000. "FITSTAT: Stata module to compute fit statistics for single equation regression models," *Statistical Software Components S407201*, Boston College Department of Economics, revised 22 Feb 2001.

Freese, Jeremy and J. Scott Long. *Regression Models for Categorical Dependent Variables Using Stata*. College Station: Stata Press, 2006.

Long, J. Scott. *Regression Models for Categorical and Limited Dependent Variables*. Thousand Oaks: Sage Publications, 1997.

**See Also**

Other model fit statistics: [blr\\_multi\\_model\\_fit\\_stats\(\)](#), [blr\\_pairs\(\)](#), [blr\\_rsqaadj\\_count\(\)](#), [blr\\_rsqaadj\\_cox\\_snell\(\)](#), [blr\\_rsqaadj\\_effron\(\)](#), [blr\\_rsqaadj\\_mcfadden\\_adj\(\)](#), [blr\\_rsqaadj\\_mckelvey\\_zavoina\(\)](#), [blr\\_rsqaadj\\_nagelkerke\(\)](#), [blr\\_test\\_lr\(\)](#)

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,
             family = binomial(link = 'logit'))
```

```
blr_model_fit_stats(model)
```

---

```
blr_multi_model_fit_stats
```

*Multi model fit statistics*

---

**Description**

Measures of model fit statistics for multiple models.



**Usage**

```
blr_multi_model_fit_stats(model, ...)  
  
## Default S3 method:  
blr_multi_model_fit_stats(model, ...)
```

**Arguments**

model	An object of class glm.
...	Objects of class glm.

**Value**

A tibble.

**See Also**

Other model fit statistics: [blr\\_model\\_fit\\_stats\(\)](#), [blr\\_pairs\(\)](#), [blr\\_rsqa\\_adj\\_count\(\)](#), [blr\\_rsqa\\_cox\\_snell\(\)](#), [blr\\_rsqa\\_effron\(\)](#), [blr\\_rsqa\\_mcfadden\\_adj\(\)](#), [blr\\_rsqa\\_mckelvey\\_zavoina\(\)](#), [blr\\_rsqa\\_nagelkerke\(\)](#), [blr\\_test\\_lr\(\)](#)

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
family = binomial(link = 'logit'))  
  
model2 <- glm(honcomp ~ female + read + math, data = hsb2,  
family = binomial(link = 'logit'))  
  
blr_multi_model_fit_stats(model, model2)
```

---

blr\_pairs

*Concordant & discordant pairs*

---

**Description**

Association of predicted probabilities and observed responses.

**Usage**

```
blr_pairs(model)
```

**Arguments**

model	An object of class glm.
-------	-------------------------

**Value**

A tibble.

**References**

<https://doi.org/10.1080/10485259808832744>

<https://doi.org/10.1177/1536867X0600600302>

**See Also**

Other model fit statistics: `blr_model_fit_stats()`, `blr_multi_model_fit_stats()`, `blr_rsqa_adj_count()`, `blr_rsqa_cox_snell()`, `blr_rsqa_effron()`, `blr_rsqa_mcfadden_adj()`, `blr_rsqa_mckelvey_zavoina()`, `blr_rsqa_nagelkerke()`, `blr_test_lr()`

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,
family = binomial(link = 'logit'))

blr_pairs(model)
```

---

blr\_plot\_c\_fitted      *CI Displacement C vs fitted values plot*

---

**Description**

Confidence interval displacement diagnostics C vs fitted values plot.

**Usage**

```
blr_plot_c_fitted(
  model,
  point_color = "blue",
  title = "CI Displacement C vs Fitted Values Plot",
  xaxis_title = "Fitted Values",
  yaxis_title = "CI Displacement C"
)
```

**Arguments**

model	An object of class glm.
point_color	Color of the points.
title	Title of the plot.
xaxis_title	X axis label.
yaxis_title	Y axis label.

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,
family = binomial(link = 'logit'))

blr_plot_c_fitted(model)
```

---

blr\_plot\_c\_leverage    *CI Displacement C vs leverage plot*

---

**Description**

Confidence interval displacement diagnostics C vs leverage plot.

**Usage**

```
blr_plot_c_leverage(
  model,
  point_color = "blue",
  title = "CI Displacement C vs Leverage Plot",
  xaxis_title = "Leverage",
  yaxis_title = "CI Displacement C"
)
```

**Arguments**

model	An object of class glm.
point_color	Color of the points.
title	Title of the plot.
xaxis_title	X axis label.
yaxis_title	Y axis label.

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,
family = binomial(link = 'logit'))

blr_plot_c_leverage(model)
```

blr\_plot\_deviance\_fitted

*Deviance vs fitted values plot*

---

### **Description**

Deviance vs fitted values plot.

### **Usage**

```
blr_plot_deviance_fitted(  
  model,  
  point_color = "blue",  
  line_color = "red",  
  title = "Deviance Residual vs Fitted Values",  
  xaxis_title = "Fitted Values",  
  yaxis_title = "Deviance Residual"  
)
```

### **Arguments**

model	An object of class glm.
point_color	Color of the points.
line_color	Color of the horizontal line.
title	Title of the plot.
xaxis_title	X axis label.
yaxis_title	Y axis label.

### **Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
  family = binomial(link = 'logit'))  
  
blr_plot_deviance_fitted(model)
```

---

blr\_plot\_deviance\_residual

*Deviance residual values*

---

### **Description**

Deviance residuals plot.

**Usage**

```
blr_plot_deviance_residual(  
  model,  
  point_color = "blue",  
  title = "Deviance Residuals Plot",  
  xaxis_title = "id",  
  yaxis_title = "Deviance Residuals"  
)
```

**Arguments**

model	An object of class glm.
point_color	Color of the points.
title	Title of the plot.
xaxis_title	X axis label.
yaxis_title	Y axis label.

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
  family = binomial(link = 'logit'))  
  
blr_plot_deviance_residual(model)
```

---

blr\_plot\_dfbetas\_panel  
*DFBETAs panel*

---

**Description**

Panel of plots to detect influential observations using DFBETAs.

**Usage**

```
blr_plot_dfbetas_panel(model, print_plot = TRUE)
```

**Arguments**

model	An object of class glm.
print_plot	logical; if TRUE, prints the plot else returns a plot object.

## Details

DFBETA measures the difference in each parameter estimate with and without the influential point. There is a DFBETA for each data point i.e if there are  $n$  observations and  $k$  variables, there will be  $n * k$  DFBETAs. In general, large values of DFBETAS indicate observations that are influential in estimating a given parameter. Belsley, Kuh, and Welsch recommend 2 as a general cutoff value to indicate influential observations and  $2/\sqrt{(n)}$  as a size-adjusted cutoff.

## Value

list; `blr_dfbetas_panel` returns a list of tibbles (for intercept and each predictor) with the observation number and DFBETA of observations that exceed the threshold for classifying an observation as an outlier/influential observation.

## References

Belsley, David A.; Kuh, Edwin; Welsh, Roy E. (1980). *Regression Diagnostics: Identifying Influential Data and Sources of Collinearity*. Wiley Series in Probability and Mathematical Statistics. New York: John Wiley & Sons. pp. ISBN 0-471-05856-4.

## Examples

```
## Not run:
model <- glm(honcomp ~ female + read + science, data = hsb2,
family = binomial(link = 'logit'))

blr_plot_dfbetas_panel(model)

## End(Not run)
```

---

`blr_plot_diag_c`*CI Displacement C plot*

---

## Description

Confidence interval displacement diagnostics C plot.

## Usage

```
blr_plot_diag_c(
  model,
  point_color = "blue",
  title = "CI Displacement C Plot",
  xaxis_title = "id",
  yaxis_title = "CI Displacement C"
)
```

**Arguments**

model	An object of class glm.
point_color	Color of the points.
title	Title of the plot.
xaxis_title	X axis label.
yaxis_title	Y axis label.

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,
family = binomial(link = 'logit'))

blr_plot_diag_c(model)
```

---

blr\_plot\_diag\_cbar      *CI Displacement CBAR plot*

---

**Description**

Confidence interval displacement diagnostics CBAR plot.

**Usage**

```
blr_plot_diag_cbar(
  model,
  point_color = "blue",
  title = "CI Displacement CBAR Plot",
  xaxis_title = "id",
  yaxis_title = "CI Displacement CBAR"
)
```

**Arguments**

model	An object of class glm.
point_color	Color of the points.
title	Title of the plot.
xaxis_title	X axis label.
yaxis_title	Y axis label.

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,
family = binomial(link = 'logit'))

blr_plot_diag_cbar(model)
```

```
blr_plot_diag_difchisq
```

*Delta chisquare plot*

---

### **Description**

Diagnostics for detecting ill fitted observations.

### **Usage**

```
blr_plot_diag_difchisq(  
  model,  
  point_color = "blue",  
  title = "Delta Chisquare Plot",  
  xaxis_title = "id",  
  yaxis_title = "Delta Chisquare"  
)
```

### **Arguments**

model	An object of class glm.
point_color	Color of the points.
title	Title of the plot.
xaxis_title	X axis label.
yaxis_title	Y axis label.

### **Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
  family = binomial(link = 'logit'))  
  
blr_plot_diag_difchisq(model)
```

---

```
blr_plot_diag_difdev
```

*Delta deviance plot*

---

### **Description**

Diagnostics for detecting ill fitted observations.



**Usage**

```
blr_plot_diag_difdev(  
  model,  
  point_color = "blue",  
  title = "Delta Deviance Plot",  
  xaxis_title = "id",  
  yaxis_title = "Delta Deviance"  
)
```

**Arguments**

model	An object of class glm.
point_color	Color of the points.
title	Title of the plot.
xaxis_title	X axis label.
yaxis_title	Y axis label.

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
  family = binomial(link = 'logit'))  
  
blr_plot_diag_difdev(model)
```

---

blr\_plot\_diag\_fit      *Fitted values diagnostics plot*

---

**Description**

Diagnostic plots for fitted values.

**Usage**

```
blr_plot_diag_fit(model, print_plot = TRUE)
```

**Arguments**

model	An object of class glm.
print_plot	logical; if TRUE, prints the plot else returns a plot object.

**Value**

A panel of diagnostic plots for fitted values.

**References**

- Fox, John (1991), Regression Diagnostics. Newbury Park, CA: Sage Publications.  
Cook, R. D. and Weisberg, S. (1982), Residuals and Influence in Regression, New York: Chapman & Hall.

**See Also**

Other diagnostic plots: [blr\\_plot\\_diag\\_influence\(\)](#), [blr\\_plot\\_diag\\_leverage\(\)](#)

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
family = binomial(link = 'logit'))  
  
blr_plot_diag_fit(model)
```

---

```
blr_plot_diag_influence  
      Influence diagnostics plot
```

---

**Description**

Residual diagnostic plots for detecting influential observations.

**Usage**

```
blr_plot_diag_influence(model, print_plot = TRUE)
```

**Arguments**

model	An object of class glm.
print_plot	logical; if TRUE, prints the plot else returns a plot object.

**Value**

A panel of influence diagnostic plots.

**References**

- Fox, John (1991), Regression Diagnostics. Newbury Park, CA: Sage Publications.  
Cook, R. D. and Weisberg, S. (1982), Residuals and Influence in Regression, New York: Chapman & Hall.

**See Also**

Other diagnostic plots: [blr\\_plot\\_diag\\_fit\(\)](#), [blr\\_plot\\_diag\\_leverage\(\)](#)

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
family = binomial(link = 'logit'))  
  
blr_plot_diag_influence(model)
```

---

blr\_plot\_diag\_leverage

*Leverage diagnostics plot*

---

**Description**

Diagnostic plots for leverage.

**Usage**

```
blr_plot_diag_leverage(model, print_plot = TRUE)
```

**Arguments**

model	An object of class glm.
print_plot	logical; if TRUE, prints the plot else returns a plot object.

**Value**

A panel of diagnostic plots for leverage.

**References**

Fox, John (1991), Regression Diagnostics. Newbury Park, CA: Sage Publications.  
Cook, R. D. and Weisberg, S. (1982), Residuals and Influence in Regression, New York: Chapman & Hall.

**See Also**

Other diagnostic plots: [blr\\_plot\\_diag\\_fit\(\)](#), [blr\\_plot\\_diag\\_influence\(\)](#)

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
family = binomial(link = 'logit'))  
  
blr_plot_diag_leverage(model)
```

```
blr_plot_difchisq_fitted
```

*Delta chi square vs fitted values plot*

---

### Description

Delta Chi Square vs fitted values plot for detecting ill fitted observations.

### Usage

```
blr_plot_difchisq_fitted(  
  model,  
  point_color = "blue",  
  title = "Delta Chi Square vs Fitted Values Plot",  
  xaxis_title = "Fitted Values",  
  yaxis_title = "Delta Chi Square"  
)
```

### Arguments

model	An object of class glm.
point_color	Color of the points.
title	Title of the plot.
xaxis_title	X axis label.
yaxis_title	Y axis label.

### Examples

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
  family = binomial(link = 'logit'))  
  
blr_plot_difchisq_fitted(model)
```

---

```
blr_plot_difchisq_leverage
```

*Delta chi square vs leverage plot*

---

### Description

Delta chi square vs leverage plot.

**Usage**

```
blr_plot_difchisq_leverage(  
  model,  
  point_color = "blue",  
  title = "Delta Chi Square vs Leverage Plot",  
  xaxis_title = "Leverage",  
  yaxis_title = "Delta Chi Square"  
)
```

**Arguments**

model	An object of class glm.
point_color	Color of the points.
title	Title of the plot.
xaxis_title	X axis label.
yaxis_title	Y axis label.

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
  family = binomial(link = 'logit'))  
  
blr_plot_difchisq_leverage(model)
```

---

blr\_plot\_difdev\_fitted

*Delta deviance vs fitted values plot*

---

**Description**

Delta deviance vs fitted values plot for detecting ill fitted observations.

**Usage**

```
blr_plot_difdev_fitted(  
  model,  
  point_color = "blue",  
  title = "Delta Deviance vs Fitted Values Plot",  
  xaxis_title = "Fitted Values",  
  yaxis_title = "Delta Deviance"  
)
```

**Arguments**

model	An object of class glm.
point_color	Color of the points.
title	Title of the plot.
xaxis_title	X axis label.
yaxis_title	Y axis label.

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
family = binomial(link = 'logit'))  
  
blr_plot_difdev_fitted(model)
```

---

blr\_plot\_difdev\_leverage

*Delta deviance vs leverage plot*

---

**Description**

Delta deviance vs leverage plot.

**Usage**

```
blr_plot_difdev_leverage(  
  model,  
  point_color = "blue",  
  title = "Delta Deviance vs Leverage Plot",  
  xaxis_title = "Leverage",  
  yaxis_title = "Delta Deviance"  
)
```

**Arguments**

model	An object of class glm.
point_color	Color of the points.
title	Title of the plot.
xaxis_title	X axis label.
yaxis_title	Y axis label.

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
family = binomial(link = 'logit'))  
  
blr_plot_difdev_leverage(model)
```

---

blr\_plot\_fitted\_leverage

*Fitted values vs leverage plot*

---

**Description**

Fitted values vs leverage plot.

**Usage**

```
blr_plot_fitted_leverage(  
  model,  
  point_color = "blue",  
  title = "Fitted Values vs Leverage Plot",  
  xaxis_title = "Leverage",  
  yaxis_title = "Fitted Values"  
)
```

**Arguments**

model	An object of class glm.
point_color	Color of the points.
title	Title of the plot.
xaxis_title	X axis label.
yaxis_title	Y axis label.

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
family = binomial(link = 'logit'))  
  
blr_plot_fitted_leverage(model)
```

---

blr\_plot\_leverage      *Leverage plot*

---

### Description

Leverage plot.

### Usage

```
blr_plot_leverage(  
  model,  
  point_color = "blue",  
  title = "Leverage Plot",  
  xaxis_title = "id",  
  yaxis_title = "Leverage"  
)
```

### Arguments

model	An object of class glm.
point_color	Color of the points.
title	Title of the plot.
xaxis_title	X axis label.
yaxis_title	Y axis label.

### Examples

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
  family = binomial(link = 'logit'))  
  
blr_plot_leverage(model)
```

---

blr\_plot\_leverage\_fitted  
                          *Leverage vs fitted values plot*

---

### Description

Leverage vs fitted values plot



**Usage**

```
blr_plot_leverage_fitted(  
  model,  
  point_color = "blue",  
  title = "Leverage vs Fitted Values",  
  xaxis_title = "Fitted Values",  
  yaxis_title = "Leverage"  
)
```

**Arguments**

model	An object of class glm.
point_color	Color of the points.
title	Title of the plot.
xaxis_title	X axis label.
yaxis_title	Y axis label.

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
  family = binomial(link = 'logit'))  
  
blr_plot_leverage_fitted(model)
```

---

```
blr_plot_pearson_residual  
  Residual values plot
```

---

**Description**

Standardised pearson residuals plot.

**Usage**

```
blr_plot_pearson_residual(  
  model,  
  point_color = "blue",  
  title = "Standardized Pearson Residuals",  
  xaxis_title = "id",  
  yaxis_title = "Standardized Pearson Residuals"  
)
```

**Arguments**

model	An object of class glm.
point_color	Color of the points.
title	Title of the plot.
xaxis_title	X axis label.
yaxis_title	Y axis label.

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
family = binomial(link = 'logit'))
```

```
blr_plot_pearson_residual(model)
```

---

```
blr_plot_residual_fitted
```

*Residual vs fitted values plot*

---

**Description**

Residual vs fitted values plot.

**Usage**

```
blr_plot_residual_fitted(  
  model,  
  point_color = "blue",  
  line_color = "red",  
  title = "Standardized Pearson Residual vs Fitted Values",  
  xaxis_title = "Fitted Values",  
  yaxis_title = "Standardized Pearson Residual"  
)
```

**Arguments**

model	An object of class glm.
point_color	Color of the points.
line_color	Color of the horizontal line.
title	Title of the plot.
xaxis_title	X axis label.
yaxis_title	Y axis label.

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
family = binomial(link = 'logit'))  
  
blr_plot_residual_fitted(model)
```

---

blr\_prep\_dcrate\_data *Decile capture rate data*

---

**Description**

Data for generating decile capture rate.

**Usage**

```
blr_prep_dcrate_data(gains_table)
```

**Arguments**

gains\_table      An object of clas blr\_gains\_table

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
            family = binomial(link = 'logit'))  
gt <- blr_gains_table(model)  
blr_prep_dcrate_data(gt)
```

---

blr\_prep\_kschart\_data *KS Chart data*

---

**Description**

Data for generating KS chart.

**Usage**

```
blr_prep_kschart_data(gains_table)  
  
blr_prep_kschart_line(gains_table)  
  
blr_prep_ksannotate_y(ks_line)  
  
blr_prep_kschart_stat(ks_line)  
  
blr_prep_ksannotate_x(ks_line)
```

**Arguments**

gains\_table     An object of clas blr\_gains\_table.  
 ks\_line         Overall conversion rate.

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,
             family = binomial(link = 'logit'))
gt <- blr_gains_table(model)
blr_prep_kschart_data(gt)
ks_line <- blr_prep_kschart_line(gt)
blr_prep_kschart_stat(ks_line)
blr_prep_ksannotate_y(ks_line)
blr_prep_ksannotate_x(ks_line)
```

---

blr\_prep\_lchart\_gmean *Lift Chart data*

---

**Description**

Data for generating lift chart.

**Usage**

```
blr_prep_lchart_gmean(gains_table)

blr_prep_lchart_data(gains_table, global_mean)
```

**Arguments**

gains\_table     An object of clas blr\_gains\_table.  
 global\_mean     Overall conversion rate.

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,
             family = binomial(link = 'logit'))
gt <- blr_gains_table(model)
globalmean <- blr_prep_lchart_gmean(gt)
blr_prep_lchart_data(gt, globalmean)
```

---

blr\_prep\_lorenz\_data    *Lorenz curve data*

---

**Description**

Data for generating Lorenz curve.

**Usage**

```
blr_prep_lorenz_data(model, data = NULL, test_data = FALSE)
```

**Arguments**

model	An object of class glm.
data	A tibble or data.frame.
test_data	Logical; TRUE if data is test data and FALSE if training data.

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
             family = binomial(link = 'logit'))  
data <- model$data  
blr_prep_lorenz_data(model, data, FALSE)
```

---

blr\_prep\_roc\_data    *ROC curve data*

---

**Description**

Data for generating ROC curve.

**Usage**

```
blr_prep_roc_data(gains_table)
```

**Arguments**

gains_table	An object of class blr_gains_table
-------------	------------------------------------

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
             family = binomial(link = 'logit'))  
gt <- blr_gains_table(model)  
blr_prep_roc_data(gt)
```

---

```
blr_regress          Binary logistic regression
```

---

**Description**

Binary logistic regression.

**Usage**

```
blr_regress(object, ...)
```

```
## S3 method for class 'glm'
```

```
blr_regress(object, odd_conf_limit = FALSE, ...)
```

**Arguments**

`object` An object of class "formula" (or one that can be coerced to that class): a symbolic description of the model to be fitted or class glm.

`...` Other inputs.

`odd_conf_limit` If TRUE, odds ratio confidence limits will be displayed.

**Examples**

```
# using formula
blr_regress(object = honcomp ~ female + read + science, data = hsb2)
```

```
# using a model built with glm
model <- glm(honcomp ~ female + read + science, data = hsb2,
             family = binomial(link = 'logit'))
```

```
blr_regress(model)
```

```
# odds ratio estimates
blr_regress(model, odd_conf_limit = TRUE)
```

---

```
blr_residual_diagnostics
```

*Residual diagnostics*

---

**Description**

Diagnostics for confidence interval displacement and detecting ill fitted observations.

**Usage**

```
blr_residual_diagnostics(model)
```

**Arguments**

model            An object of class glm.

**Value**

C, CBAR, DIFDEV and DIFCHISQ.

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,
family = binomial(link = 'logit'))

blr_residual_diagnostics(model)
```

---

blr_roc_curve	<i>ROC curve</i>
---------------	------------------

---

**Description**

Receiver operating characteristic curve (ROC) curve is used for assessing accuracy of the model classification.

**Usage**

```
blr_roc_curve(
  gains_table,
  title = "ROC Curve",
  xaxis_title = "1 - Specificity",
  yaxis_title = "Sensitivity",
  roc_curve_col = "blue",
  diag_line_col = "red",
  point_shape = 18,
  point_fill = "blue",
  point_color = "blue",
  plot_title_justify = 0.5,
  print_plot = TRUE
)
```

**Arguments**

gains\_table      An object of class blr\_gains\_table.  
title            Plot title.  
xaxis\_title      X axis title.  
yaxis\_title      Y axis title.  
roc\_curve\_col    Color of the roc curve.

diag\_line\_col Diagonal line color.  
 point\_shape Shape of the points on the roc curve.  
 point\_fill Fill of the points on the roc curve.  
 point\_color Color of the points on the roc curve.  
 plot\_title\_justify  
                   Horizontal justification on the plot title.  
 print\_plot logical; if TRUE, prints the plot else returns a plot object.

## References

Agresti, A. (2007), An Introduction to Categorical Data Analysis, Second Edition, New York: John Wiley & Sons.  
 Hosmer, D. W., Jr. and Lemeshow, S. (2000), Applied Logistic Regression, 2nd Edition, New York: John Wiley & Sons.  
 Siddiqi N (2006): Credit Risk Scorecards: developing and implementing intelligent credit scoring. New Jersey, Wiley.  
 Thomas LC, Edelman DB, Crook JN (2002): Credit Scoring and Its Applications. Philadelphia, SIAM Monographs on Mathematical Modeling and Computation.

## See Also

Other model validation techniques: [blr\\_confusion\\_matrix\(\)](#), [blr\\_decile\\_capture\\_rate\(\)](#), [blr\\_decile\\_lift\\_chart\(\)](#), [blr\\_gains\\_table\(\)](#), [blr\\_gini\\_index\(\)](#), [blr\\_ks\\_chart\(\)](#), [blr\\_lorenz\\_curve\(\)](#), [blr\\_test\\_hosmer\\_lemeshow\(\)](#)

## Examples

```
model <- glm(honcomp ~ female + read + science, data = hsb2,
            family = binomial(link = 'logit'))
k <- blr_gains_table(model)
blr_roc_curve(k)
```

---

blr\_rsqa\_adj\_count      *Adjusted count R2*

---

## Description

Adjusted count r-squared.

## Usage

```
blr_rsqa_adj_count(model)
```

## Arguments

model                    An object of class glm.



**Value**

Adjusted count r-squared.

**See Also**

Other model fit statistics: [blr\\_model\\_fit\\_stats\(\)](#), [blr\\_multi\\_model\\_fit\\_stats\(\)](#), [blr\\_pairs\(\)](#), [blr\\_rsq\\_cox\\_snell\(\)](#), [blr\\_rsq\\_effron\(\)](#), [blr\\_rsq\\_mcfadden\\_adj\(\)](#), [blr\\_rsq\\_mckelvey\\_zavoina\(\)](#), [blr\\_rsq\\_nagelkerke\(\)](#), [blr\\_test\\_lr\(\)](#)

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,
            family = binomial(link = 'logit'))

blr_rsq_adj_count(model)
```

---

blr_rsq_count	<i>Count R2</i>
---------------	-----------------

---

**Description**

Count r-squared.

**Usage**

```
blr_rsq_count(model)
```

**Arguments**

model            An object of class glm.

**Value**

Count r-squared.

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,
            family = binomial(link = 'logit'))

blr_rsq_count(model)
```

---

blr\_rsq\_cox\_snell      *Cox Snell R2*

---

### Description

Cox Snell pseudo r-squared.

### Usage

```
blr_rsq_cox_snell(model)
```

### Arguments

model              An object of class glm.

### Value

Cox Snell pseudo r-squared.

### References

Cox, D. R., & Snell, E. J. (1989). The analysis of binary data (2nd ed.). London: Chapman and Hall.

Maddala, G. S. (1983). Limited dependent and qualitative variables in economics. New York: Cambridge Press.

### See Also

Other model fit statistics: [blr\\_model\\_fit\\_stats\(\)](#), [blr\\_multi\\_model\\_fit\\_stats\(\)](#), [blr\\_pairs\(\)](#), [blr\\_rsq\\_adj\\_count\(\)](#), [blr\\_rsq\\_effron\(\)](#), [blr\\_rsq\\_mcfadden\\_adj\(\)](#), [blr\\_rsq\\_mckelvey\\_zavoina\(\)](#), [blr\\_rsq\\_nagelkerke\(\)](#), [blr\\_test\\_lr\(\)](#)

### Examples

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
            family = binomial(link = 'logit'))
```

```
blr_rsq_cox_snell(model)
```

---

blr_rsq_effron	<i>Effron R2</i>
----------------	------------------

---

### Description

Effron pseudo r-squared.

### Usage

```
blr_rsq_effron(model)
```

### Arguments

model            An object of class glm.

### Value

Effron pseudo r-squared.

### References

Efron, B. (1978). Regression and ANOVA with zero-one data: Measures of residual variation. *Journal of the American Statistical Association*, 73, 113-121.

### See Also

Other model fit statistics: [blr\\_model\\_fit\\_stats\(\)](#), [blr\\_multi\\_model\\_fit\\_stats\(\)](#), [blr\\_pairs\(\)](#), [blr\\_rsq\\_adj\\_count\(\)](#), [blr\\_rsq\\_cox\\_snell\(\)](#), [blr\\_rsq\\_mcfadden\\_adj\(\)](#), [blr\\_rsq\\_mckelvey\\_zavoina\(\)](#), [blr\\_rsq\\_nagelkerke\(\)](#), [blr\\_test\\_lr\(\)](#)

### Examples

```
model <- glm(honcomp ~ female + read + science, data = hsb2,  
          family = binomial(link = 'logit'))
```

```
blr_rsq_effron(model)
```

blr\_rsq\_mcfadden      *McFadden's R2*

---

**Description**

McFadden's pseudo r-squared for the model.

**Usage**

```
blr_rsq_mcfadden(model)
```

**Arguments**

model                  An object of class glm.

**Value**

McFadden's r-squared.

**References**

<https://eml.berkeley.edu/reprints/mcfadden/zarembka.pdf>

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,
             family = binomial(link = 'logit'))

blr_rsq_mcfadden(model)
```

---

blr\_rsq\_mcfadden\_adj      *McFadden's adjusted R2*

---

**Description**

McFadden's adjusted pseudo r-squared for the model.

**Usage**

```
blr_rsq_mcfadden_adj(model)
```

**Arguments**

model                  An object of class glm.

**Value**

McFadden's adjusted r-squared.

**References**

<https://eml.berkeley.edu/reprints/mcfadden/zarembka.pdf>

**See Also**

Other model fit statistics: `blr_model_fit_stats()`, `blr_multi_model_fit_stats()`, `blr_pairs()`, `blr_rsq_adj_count()`, `blr_rsq_cox_snell()`, `blr_rsq_effron()`, `blr_rsq_mckelvey_zavoina()`, `blr_rsq_nagelkerke()`, `blr_test_lr()`

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,
             family = binomial(link = 'logit'))

blr_rsq_mcfadden_adj(model)
```

---

blr\_rsq\_mckelvey\_zavoina  
*McKelvey Zavoina R2*

---

**Description**

McKelvey Zavoina pseudo r-squared.

**Usage**

```
blr_rsq_mckelvey_zavoina(model)
```

**Arguments**

model            An object of class `glm`.

**Value**

Cragg-Uhler (Nagelkerke) R2 pseudo r-squared.

**References**

McKelvey, R. D., & Zavoina, W. (1975). A statistical model for the analysis of ordinal level dependent variables. *Journal of Mathematical Sociology*, 4, 103-12.

**See Also**

Other model fit statistics: [blr\\_model\\_fit\\_stats\(\)](#), [blr\\_multi\\_model\\_fit\\_stats\(\)](#), [blr\\_pairs\(\)](#), [blr\\_rsqa\\_adj\\_count\(\)](#), [blr\\_rsqa\\_cox\\_snell\(\)](#), [blr\\_rsqa\\_effron\(\)](#), [blr\\_rsqa\\_mcfadden\\_adj\(\)](#), [blr\\_rsqa\\_nagelkerke\(\)](#), [blr\\_test\\_lr\(\)](#)

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,
            family = binomial(link = 'logit'))

blr_rsqa_mckelvey_zavoina(model)
```

---

blr\_rsqa\_nagelkerke      *Cragg-Uhler (Nagelkerke) R2*

---

**Description**

Cragg-Uhler (Nagelkerke) R2 pseudo r-squared.

**Usage**

```
blr_rsqa_nagelkerke(model)
```

**Arguments**

model                    An object of class glm.

**Value**

Cragg-Uhler (Nagelkerke) R2 pseudo r-squared.

**References**

Cragg, S. G., & Uhler, R. (1970). The demand for automobiles. *Canadian Journal of Economics*, 3, 386-406.

Maddala, G. S. (1983). *Limited dependent and qualitative variables in economics*. New York: Cambridge Press.

Nagelkerke, N. (1991). A note on a general definition of the coefficient of determination.

**See Also**

Other model fit statistics: [blr\\_model\\_fit\\_stats\(\)](#), [blr\\_multi\\_model\\_fit\\_stats\(\)](#), [blr\\_pairs\(\)](#), [blr\\_rsqa\\_adj\\_count\(\)](#), [blr\\_rsqa\\_cox\\_snell\(\)](#), [blr\\_rsqa\\_effron\(\)](#), [blr\\_rsqa\\_mcfadden\\_adj\(\)](#), [blr\\_rsqa\\_mckelvey\\_zavoina\(\)](#), [blr\\_test\\_lr\(\)](#)

**Examples**

```
model <- glm(honcomp ~ female + read + science, data = hsb2,
            family = binomial(link = 'logit'))

blr_rsqa_nagelkerke(model)
```

---

blr_segment	<i>Event rate</i>
-------------	-------------------

---

**Description**

Event rate by segments/levels of a qualitative variable.

**Usage**

```
blr_segment(data, response, predictor)

## Default S3 method:
blr_segment(data, response, predictor)
```

**Arguments**

data	A tibble or data.frame.
response	Response variable; column in data.
predictor	Predictor variable; column in data.

**Value**

A tibble.

**See Also**

Other bivariate analysis procedures: [blr\\_bivariate\\_analysis\(\)](#), [blr\\_segment\\_dist\(\)](#), [blr\\_segment\\_twoway\(\)](#), [blr\\_woe\\_iv\\_stats\(\)](#), [blr\\_woe\\_iv\(\)](#)

**Examples**

```
blr_segment(hsb2, honcomp, prog)
```

---

blr_segment_dist	<i>Response distribution</i>
------------------	------------------------------

---

### Description

Distribution of response variable by segments/levels of a qualitative variable.

### Usage

```
blr_segment_dist(data, response, predictor)
```

```
## S3 method for class 'blr_segment_dist'
plot(
  x,
  title = NA,
  xaxis_title = "Levels",
  yaxis_title = "Sample Distribution",
  sec_yaxis_title = "1s Distribution",
  bar_color = "blue",
  line_color = "red",
  print_plot = TRUE,
  ...
)
```

### Arguments

data	A tibble or a data.frame.
response	Response variable; column in data.
predictor	Predictor variable; column in data.
x	An object of class blr_segment_dist.
title	Plot title.
xaxis_title	X axis title.
yaxis_title	Y axis title.
sec_yaxis_title	Secondary y axis title.
bar_color	Bar color.
line_color	Line color.
print_plot	logical; if TRUE, prints the plot else returns a plot object.
...	Other inputs.

### Value

A tibble.



**See Also**

Other bivariate analysis procedures: [blr\\_bivariate\\_analysis\(\)](#), [blr\\_segment\\_twoway\(\)](#), [blr\\_segment\(\)](#), [blr\\_woe\\_iv\\_stats\(\)](#), [blr\\_woe\\_iv\(\)](#)

**Examples**

```
k <- blr_segment_dist(hsb2, honcomp, prog)
k

# plot
plot(k)
```

---

blr_segment_twoway	<i>Two way event rate</i>
--------------------	---------------------------

---

**Description**

Event rate across two qualitative variables.

**Usage**

```
blr_segment_twoway(data, response, variable_1, variable_2)

## Default S3 method:
blr_segment_twoway(data, response, variable_1, variable_2)
```

**Arguments**

data	A tibble or data.frame.
response	Response variable; column in data.
variable_1	Column in data.
variable_2	Column in data.

**Value**

A tibble.

**See Also**

Other bivariate analysis procedures: [blr\\_bivariate\\_analysis\(\)](#), [blr\\_segment\\_dist\(\)](#), [blr\\_segment\(\)](#), [blr\\_woe\\_iv\\_stats\(\)](#), [blr\\_woe\\_iv\(\)](#)

**Examples**

```
blr_segment_twoway(hsb2, honcomp, prog, female)
```

---

 blr\_step\_aic\_backward *Stepwise AIC backward elimination*


---

### Description

Build regression model from a set of candidate predictor variables by removing predictors based on akaike information criterion, in a stepwise manner until there is no variable left to remove any more.

### Usage

```
blr_step_aic_backward(model, ...)

## Default S3 method:
blr_step_aic_backward(model, progress = FALSE, details = FALSE, ...)

## S3 method for class 'blr_step_aic_backward'
plot(x, text_size = 3, print_plot = TRUE, ...)
```

### Arguments

model	An object of class glm; the model should include all candidate predictor variables.
...	Other arguments.
progress	Logical; if TRUE, will display variable selection progress.
details	Logical; if TRUE, will print the regression result at each step.
x	An object of class blr_step_aic_backward.
text_size	size of the text in the plot.
print_plot	logical; if TRUE, prints the plot else returns a plot object.

### Value

blr\_step\_aic\_backward returns an object of class "blr\_step\_aic\_backward". An object of class "blr\_step\_aic\_backward" is a list containing the following components:

model	model with the least AIC; an object of class glm
candidates	candidate predictor variables
steps	total number of steps
predictors	variables removed from the model
aics	akaike information criteria
bics	bayesian information criteria
devs	deviances

## References

Venables, W. N. and Ripley, B. D. (2002) Modern Applied Statistics with S. Fourth edition. Springer.

## See Also

Other variable selection procedures: [blr\\_step\\_aic\\_both\(\)](#), [blr\\_step\\_aic\\_forward\(\)](#), [blr\\_step\\_p\\_backward\(\)](#), [blr\\_step\\_p\\_forward\(\)](#)

## Examples

```
## Not run:
model <- glm(honcomp ~ female + read + science + math + prog + socst,
data = hsb2, family = binomial(link = 'logit'))

# elimination summary
blr_step_aic_backward(model)

# print details of each step
blr_step_aic_backward(model, details = TRUE)

# plot
plot(blr_step_aic_backward(model))

# final model
k <- blr_step_aic_backward(model)
k$model

## End(Not run)
```

---

blr\_step\_aic\_both      *Stepwise AIC selection*

---

## Description

Build regression model from a set of candidate predictor variables by entering and removing predictors based on akaike information criterion, in a stepwise manner until there is no variable left to enter or remove any more.

## Usage

```
blr_step_aic_both(model, details = FALSE, ...)

## S3 method for class 'blr_step_aic_both'
plot(x, text_size = 3, ...)
```

**Arguments**

<code>model</code>	An object of class <code>lm</code> .
<code>details</code>	Logical; if TRUE, details of variable selection will be printed on screen.
<code>...</code>	Other arguments.
<code>x</code>	An object of class <code>blr_step_aic_both</code> .
<code>text_size</code>	size of the text in the plot.

**Value**

`blr_step_aic_both` returns an object of class `"blr_step_aic_both"`. An object of class `"blr_step_aic_both"` is a list containing the following components:

<code>model</code>	model with the least AIC; an object of class <code>glm</code>
<code>candidates</code>	candidate predictor variables
<code>predictors</code>	variables added/removed from the model
<code>method</code>	addition/deletion
<code>aics</code>	akaike information criteria
<code>bics</code>	bayesian information criteria
<code>devs</code>	deviances
<code>steps</code>	total number of steps

**References**

Venables, W. N. and Ripley, B. D. (2002) Modern Applied Statistics with S. Fourth edition. Springer.

**See Also**

Other variable selection procedures: [blr\\_step\\_aic\\_backward\(\)](#), [blr\\_step\\_aic\\_forward\(\)](#), [blr\\_step\\_p\\_backward\(\)](#), [blr\\_step\\_p\\_forward\(\)](#)

**Examples**

```
## Not run:
model <- glm(y ~ ., data = stepwise)

# selection summary
blr_step_aic_both(model)

# print details at each step
blr_step_aic_both(model, details = TRUE)

# plot
plot(blr_step_aic_both(model))

# final model
k <- blr_step_aic_both(model)
k$model
```

```
## End(Not run)
```

---

```
blr_step_aic_forward Stepwise AIC forward selection
```

---

### Description

Build regression model from a set of candidate predictor variables by entering predictors based on chi square statistic, in a stepwise manner until there is no variable left to enter any more.

### Usage

```
blr_step_aic_forward(model, ...)

## Default S3 method:
blr_step_aic_forward(model, progress = FALSE, details = FALSE, ...)

## S3 method for class 'blr_step_aic_forward'
plot(x, text_size = 3, print_plot = TRUE, ...)
```

### Arguments

model	An object of class glm.
...	Other arguments.
progress	Logical; if TRUE, will display variable selection progress.
details	Logical; if TRUE, will print the regression result at each step.
x	An object of class blr_step_aic_forward.
text_size	size of the text in the plot.
print_plot	logical; if TRUE, prints the plot else returns a plot object.

### Value

blr\_step\_aic\_forward returns an object of class "blr\_step\_aic\_forward". An object of class "blr\_step\_aic\_forward" is a list containing the following components:

model	model with the least AIC; an object of class glm
candidates	candidate predictor variables
steps	total number of steps
predictors	variables entered into the model
aics	akaike information criteria
bics	bayesian information criteria
devs	deviances

## References

Venables, W. N. and Ripley, B. D. (2002) Modern Applied Statistics with S. Fourth edition. Springer.

## See Also

Other variable selection procedures: [blr\\_step\\_aic\\_backward\(\)](#), [blr\\_step\\_aic\\_both\(\)](#), [blr\\_step\\_p\\_backward\(\)](#), [blr\\_step\\_p\\_forward\(\)](#)

## Examples

```
## Not run:
model <- glm(honcomp ~ female + read + science, data = hsb2,
family = binomial(link = 'logit'))

# selection summary
blr_step_aic_forward(model)

# print details of each step
blr_step_aic_forward(model, details = TRUE)

# plot
plot(blr_step_aic_forward(model))

# final model
k <- blr_step_aic_forward(model)
k$model

## End(Not run)
```

---

blr\_step\_p\_backward    *Stepwise backward regression*

---

## Description

Build regression model from a set of candidate predictor variables by removing predictors based on p values, in a stepwise manner until there is no variable left to remove any more.

## Usage

```
blr_step_p_backward(model, ...)
```

## Default S3 method:

```
blr_step_p_backward(model, prem = 0.3, details = FALSE, ...)
```

## S3 method for class 'blr\_step\_p\_backward'

```
plot(x, model = NA, print_plot = TRUE, ...)
```

**Arguments**

model	An object of class <code>lm</code> ; the model should include all candidate predictor variables.
...	Other inputs.
prem	p value; variables with p more than prem will be removed from the model.
details	Logical; if TRUE, will print the regression result at each step.
x	An object of class <code>blr_step_p_backward</code> .
print_plot	logical; if TRUE, prints the plot else returns a plot object.

**Value**

`blr_step_p_backward` returns an object of class `"blr_step_p_backward"`. An object of class `"blr_step_p_backward"` is a list containing the following components:

model	model with the least AIC; an object of class <code>glm</code>
steps	total number of steps
removed	variables removed from the model
aic	akaike information criteria
bic	bayesian information criteria
dev	deviance
indvar	predictors

**References**

Chatterjee, Samprit and Hadi, Ali. Regression Analysis by Example. 5th ed. N.p.: John Wiley & Sons, 2012. Print.

**See Also**

Other variable selection procedures: [blr\\_step\\_aic\\_backward\(\)](#), [blr\\_step\\_aic\\_both\(\)](#), [blr\\_step\\_aic\\_forward\(\)](#), [blr\\_step\\_p\\_forward\(\)](#)

**Examples**

```
## Not run:
# stepwise backward regression
model <- glm(honcomp ~ female + read + science + math + prog + socst,
  data = hsb2, family = binomial(link = 'logit'))
blr_step_p_backward(model)

# stepwise backward regression plot
model <- glm(honcomp ~ female + read + science + math + prog + socst,
  data = hsb2, family = binomial(link = 'logit'))
k <- blr_step_p_backward(model)
plot(k)

# final model
k$model
```

```
## End(Not run)
```

---

```
blr_step_p_both      Stepwise regression
```

---

### Description

Build regression model from a set of candidate predictor variables by entering and removing predictors based on p values, in a stepwise manner until there is no variable left to enter or remove any more.

### Usage

```
blr_step_p_both(model, ...)

## Default S3 method:
blr_step_p_both(model, pent = 0.1, prem = 0.3, details = FALSE, ...)

## S3 method for class 'blr_step_p_both'
plot(x, model = NA, print_plot = TRUE, ...)
```

### Arguments

model	An object of class <code>lm</code> ; the model should include all candidate predictor variables.
...	Other arguments.
pent	p value; variables with p value less than pent will enter into the model.
prem	p value; variables with p more than prem will be removed from the model.
details	Logical; if TRUE, will print the regression result at each step.
x	An object of class <code>blr_step_p_both</code> .
print_plot	logical; if TRUE, prints the plot else returns a plot object.

### Value

`blr_step_p_both` returns an object of class `"blr_step_p_both"`. An object of class `"blr_step_p_both"` is a list containing the following components:

model	final model; an object of class <code>glm</code>
orders	candidate predictor variables according to the order by which they were added or removed from the model
method	addition/deletion
steps	total number of steps



predictors	variables retained in the model (after addition)
aic	akaike information criteria
bic	bayesian information criteria
dev	deviance
indvar	predictors

## References

Chatterjee, Samprit and Hadi, Ali. Regression Analysis by Example. 5th ed. N.p.: John Wiley & Sons, 2012. Print.

## Examples

```
## Not run:
# stepwise regression
model <- glm(y ~ ., data = stepwise)
blr_step_p_both(model)

# stepwise regression plot
model <- glm(y ~ ., data = stepwise)
k <- blr_step_p_both(model)
plot(k)

# final model
k$model

## End(Not run)
```

---

blr_step_p_forward	<i>Stepwise forward regression</i>
--------------------	------------------------------------

---

## Description

Build regression model from a set of candidate predictor variables by entering predictors based on p values, in a stepwise manner until there is no variable left to enter any more.

## Usage

```
blr_step_p_forward(model, ...)

## Default S3 method:
blr_step_p_forward(model, penter = 0.3, details = FALSE, ...)

## S3 method for class 'blr_step_p_forward'
plot(x, model = NA, print_plot = TRUE, ...)
```

**Arguments**

<code>model</code>	An object of class <code>lm</code> ; the model should include all candidate predictor variables.
<code>...</code>	Other arguments.
<code>penter</code>	p value; variables with p value less than <code>penter</code> will enter into the model
<code>details</code>	Logical; if TRUE, will print the regression result at each step.
<code>x</code>	An object of class <code>blr_step_p_forward</code> .
<code>print_plot</code>	logical; if TRUE, prints the plot else returns a plot object.

**Value**

`blr_step_p_forward` returns an object of class "`blr_step_p_forward`". An object of class "`blr_step_p_forward`" is a list containing the following components:

<code>model</code>	model with the least AIC; an object of class <code>glm</code>
<code>steps</code>	number of steps
<code>predictors</code>	variables added to the model
<code>aic</code>	akaike information criteria
<code>bic</code>	bayesian information criteria
<code>dev</code>	deviance
<code>indvar</code>	predictors

**References**

Chatterjee, Samprit and Hadi, Ali. Regression Analysis by Example. 5th ed. N.p.: John Wiley & Sons, 2012. Print.

Kutner, MH, Nachtsheim CJ, Neter J and Li W., 2004, Applied Linear Statistical Models (5th edition). Chicago, IL., McGraw Hill/Irwin.

**See Also**

Other variable selection procedures: [blr\\_step\\_aic\\_backward\(\)](#), [blr\\_step\\_aic\\_both\(\)](#), [blr\\_step\\_aic\\_forward\(\)](#), [blr\\_step\\_p\\_backward\(\)](#)

**Examples**

```
## Not run:
# stepwise forward regression
model <- glm(honcomp ~ female + read + science, data = hsb2,
  family = binomial(link = 'logit'))
blr_step_p_forward(model)

# stepwise forward regression plot
model <- glm(honcomp ~ female + read + science, data = hsb2,
  family = binomial(link = 'logit'))
k <- blr_step_p_forward(model)
plot(k)
```

```
# final model
k$model

## End(Not run)
```

---

```
blr_test_hosmer_lemeshow
Hosmer lemeshow test
```

---

### Description

Hosmer lemeshow goodness of fit test.

### Usage

```
blr_test_hosmer_lemeshow(model, data = NULL)
```

### Arguments

model	An object of class glm.
data	a tibble or data.frame.

### References

Hosmer, D.W., Jr., & Lemeshow, S. (2000), Applied logistic regression(2nd ed.). New York: John Wiley & Sons.

### See Also

Other model validation techniques: [blr\\_confusion\\_matrix\(\)](#), [blr\\_decile\\_capture\\_rate\(\)](#), [blr\\_decile\\_lift\\_chart\(\)](#), [blr\\_gains\\_table\(\)](#), [blr\\_gini\\_index\(\)](#), [blr\\_ks\\_chart\(\)](#), [blr\\_lorenz\\_curve\(\)](#), [blr\\_roc\\_curve\(\)](#)

### Examples

```
model <- glm(honcomp ~ female + read + science, data = hsb2,
            family = binomial(link = 'logit'))

blr_test_hosmer_lemeshow(model)
```

---

`blr_test_lr`*Likelihood ratio test*

---

**Description**

Performs the likelihood ratio test for full and reduced model.

**Usage**

```
blr_test_lr(full_model, reduced_model)

## Default S3 method:
blr_test_lr(full_model, reduced_model)
```

**Arguments**

`full_model` An object of class `glm`; model with all predictors.  
`reduced_model` An object of class `glm`; nested model. Optional if you are comparing the `full_model` with an intercept only model.

**Value**

Two tibbles with model information and test results.

**See Also**

Other model fit statistics: [blr\\_model\\_fit\\_stats\(\)](#), [blr\\_multi\\_model\\_fit\\_stats\(\)](#), [blr\\_pairs\(\)](#), [blr\\_rsqaadj\\_count\(\)](#), [blr\\_rsqaadj\\_count\\_cox\\_snell\(\)](#), [blr\\_rsqaadj\\_count\\_effron\(\)](#), [blr\\_rsqaadj\\_count\\_mcfadden\\_adj\(\)](#), [blr\\_rsqaadj\\_count\\_mckelvey\\_zavoina\(\)](#), [blr\\_rsqaadj\\_count\\_nagelkerke\(\)](#)

**Examples**

```
# compare full model with intercept only model
# full model
model_1 <- glm(honcomp ~ female + read + science, data = hsb2,
              family = binomial(link = 'logit'))

blr_test_lr(model_1)

# compare full model with nested model
# nested model
model_2 <- glm(honcomp ~ female + read, data = hsb2,
              family = binomial(link = 'logit'))

blr_test_lr(model_1, model_2)
```

---

`blr_woe_iv`*WoE & IV*

---

**Description**

Weight of evidence and information value. Currently available for categorical predictors only.

**Usage**

```
blr_woe_iv(data, predictor, response, digits = 4, ...)
```

```
## S3 method for class 'blr_woe_iv'  
plot(  
  x,  
  title = NA,  
  xaxis_title = "Levels",  
  yaxis_title = "WoE",  
  bar_color = "blue",  
  line_color = "red",  
  print_plot = TRUE,  
  ...  
)
```

**Arguments**

<code>data</code>	A tibble or data.frame.
<code>predictor</code>	Predictor variable; column in data.
<code>response</code>	Response variable; column in data.
<code>digits</code>	Number of decimal digits to round off.
<code>...</code>	Other inputs.
<code>x</code>	An object of class <code>blr_segment_dist</code> .
<code>title</code>	Plot title.
<code>xaxis_title</code>	X axis title.
<code>yaxis_title</code>	Y axis title.
<code>bar_color</code>	Color of the bar.
<code>line_color</code>	Color of the horizontal line.
<code>print_plot</code>	logical; if TRUE, prints the plot else returns a plot object.

**Value**

A tibble.

## References

Siddiqi N (2006): Credit Risk Scorecards: developing and implementing intelligent credit scoring. New Jersey, Wiley.

## See Also

Other bivariate analysis procedures: [blr\\_bivariate\\_analysis\(\)](#), [blr\\_segment\\_dist\(\)](#), [blr\\_segment\\_twoway\(\)](#), [blr\\_segment\(\)](#), [blr\\_woe\\_iv\\_stats\(\)](#)

## Examples

```
# woe and iv
k <- blr_woe_iv(hsb2, female, honcomp)
k

# plot woe
plot(k)
```

---

blr_woe_iv_stats	<i>Multi variable WOE &amp; IV</i>
------------------	------------------------------------

---

## Description

Prints weight of evidence and information value for multiple variables. Currently available for categorical predictors only.

## Usage

```
blr_woe_iv_stats(data, response, ...)
```

## Arguments

data	A data.frame or tibble.
response	Response variable; column in data.
...	Predictor variables; column in data.

## See Also

Other bivariate analysis procedures: [blr\\_bivariate\\_analysis\(\)](#), [blr\\_segment\\_dist\(\)](#), [blr\\_segment\\_twoway\(\)](#), [blr\\_segment\(\)](#), [blr\\_woe\\_iv\(\)](#)

## Examples

```
blr_woe_iv_stats(hsb2, honcomp, prog, race, female, schtyp)
```

---

hsb2	<i>High School and Beyond Data Set</i>
------	--

---

**Description**

A dataset containing demographic information and standardized test scores of high school students.

**Usage**

hsb2

**Format**

A data frame with 200 rows and 11 variables:

**id** id of the student  
**female** gender of the student  
**race** ethnic background of the student  
**ses** socio-economic status of the student  
**schtyp** school type  
**prog** program type  
**read** scores from test of reading  
**write** scores from test of writing  
**math** scores from test of math  
**science** scores from test of science  
**socst** scores from test of social studies  
**honcomp** 1 if write > 60, else 0

**Source**

<http://www.ats.ucla.edu/stat/spss/whatstat/whatstat.htm>

---

stepwise	<i>Dummy Data Set</i>
----------	-----------------------

---

**Description**

Dummy Data Set

**Usage**

stepwise

**Format**

An object of class `data.frame` with 20000 rows and 7 columns.

# Index

- \* **bivariate analysis procedures**
  - blr\_bivariate\_analysis, 4
  - blr\_segment, 47
  - blr\_segment\_dist, 48
  - blr\_segment\_twoway, 49
  - blr\_woe\_iv, 61
  - blr\_woe\_iv\_stats, 62
- \* **datasets**
  - bank\_marketing, 3
  - hsb2, 63
  - stepwise, 63
- \* **diagnostic plots**
  - blr\_plot\_diag\_fit, 25
  - blr\_plot\_diag\_influence, 26
  - blr\_plot\_diag\_leverage, 27
- \* **model fit statistics**
  - blr\_rsq\_mcfadden, 44
- \* **model fit statistics**
  - blr\_rsq\_count, 41
- \* **model fit statistics**
  - blr\_model\_fit\_stats, 15
  - blr\_multi\_model\_fit\_stats, 16
  - blr\_pairs, 17
  - blr\_rsq\_adj\_count, 40
  - blr\_rsq\_cox\_snell, 42
  - blr\_rsq\_effron, 43
  - blr\_rsq\_mcfadden\_adj, 44
  - blr\_rsq\_mckelvey\_zavoina, 45
  - blr\_rsq\_nagelkerke, 46
  - blr\_test\_lr, 60
- \* **model validation techniques**
  - blr\_confusion\_matrix, 7
  - blr\_decile\_capture\_rate, 8
  - blr\_decile\_lift\_chart, 9
  - blr\_gains\_table, 10
  - blr\_gini\_index, 11
  - blr\_ks\_chart, 12
  - blr\_lorenz\_curve, 14
  - blr\_roc\_curve, 39
  - blr\_test\_hosmer\_lemeshow, 59
- \* **variable selection procedures**
  - blr\_step\_aic\_backward, 50
  - blr\_step\_aic\_both, 51
  - blr\_step\_aic\_forward, 53
  - blr\_step\_p\_backward, 54
  - blr\_step\_p\_forward, 57
- \* **variable selection procedures**
  - blr\_step\_p\_both, 56
- bank\_marketing, 3
- blorr, 4
- blr\_bivariate\_analysis, 4, 47, 49, 62
- blr\_coll\_diag, 5
- blr\_confusion\_matrix, 7, 8, 9, 11–13, 15, 40, 59
- blr\_decile\_capture\_rate, 7, 8, 9, 11–13, 15, 40, 59
- blr\_decile\_lift\_chart, 7, 8, 9, 11–13, 15, 40, 59
- blr\_eigen\_cindex (blr\_coll\_diag), 5
- blr\_gains\_table, 7–9, 10, 12, 13, 15, 40, 59
- blr\_gini\_index, 7–9, 11, 11, 13, 15, 40, 59
- blr\_ks\_chart, 7–9, 11, 12, 12, 15, 40, 59
- blr\_launch\_app, 13
- blr\_linktest, 14
- blr\_lorenz\_curve, 7–9, 11–13, 14, 40, 59
- blr\_model\_fit\_stats, 15, 17, 18, 41–43, 45, 46, 60
- blr\_multi\_model\_fit\_stats, 16, 16, 18, 41–43, 45, 46, 60
- blr\_pairs, 16, 17, 17, 41–43, 45, 46, 60
- blr\_plot\_c\_fitted, 18
- blr\_plot\_c\_leverage, 19
- blr\_plot\_deviance\_fitted, 20
- blr\_plot\_deviance\_residual, 20
- blr\_plot\_dfbetas\_panel, 21
- blr\_plot\_diag\_c, 22
- blr\_plot\_diag\_cbar, 23
- blr\_plot\_diag\_difchisq, 24



- blr\_plot\_diag\_difdev, 24
- blr\_plot\_diag\_fit, 25, 26, 27
- blr\_plot\_diag\_influence, 26, 26, 27
- blr\_plot\_diag\_leverage, 26, 27
- blr\_plot\_difchisq\_fitted, 28
- blr\_plot\_difchisq\_leverage, 28
- blr\_plot\_difdev\_fitted, 29
- blr\_plot\_difdev\_leverage, 30
- blr\_plot\_fitted\_leverage, 31
- blr\_plot\_leverage, 32
- blr\_plot\_leverage\_fitted, 32
- blr\_plot\_pearson\_residual, 33
- blr\_plot\_residual\_fitted, 34
- blr\_prep\_dcrate\_data, 35
- blr\_prep\_ksannotate\_x  
(blr\_prep\_kschart\_data), 35
- blr\_prep\_ksannotate\_y  
(blr\_prep\_kschart\_data), 35
- blr\_prep\_kschart\_data, 35
- blr\_prep\_kschart\_line  
(blr\_prep\_kschart\_data), 35
- blr\_prep\_kschart\_stat  
(blr\_prep\_kschart\_data), 35
- blr\_prep\_lchart\_data  
(blr\_prep\_lchart\_gmean), 36
- blr\_prep\_lchart\_gmean, 36
- blr\_prep\_lorenz\_data, 37
- blr\_prep\_roc\_data, 37
- blr\_regress, 38
- blr\_residual\_diagnostics, 38
- blr\_roc\_curve, 7–9, 11–13, 15, 39, 59
- blr\_rsqaadj\_count, 16–18, 40, 42, 43, 45,  
46, 60
- blr\_rsqa\_count, 41
- blr\_rsqa\_cox\_snell, 16–18, 41, 42, 43, 45,  
46, 60
- blr\_rsqa\_effron, 16–18, 41, 42, 43, 45, 46, 60
- blr\_rsqa\_mcfadden, 44
- blr\_rsqa\_mcfadden\_adj, 16–18, 41–43, 44,  
46, 60
- blr\_rsqa\_mckelvey\_zavoina, 16–18, 41–43,  
45, 45, 46, 60
- blr\_rsqa\_nagelkerke, 16–18, 41–43, 45, 46,  
46, 60
- blr\_segment, 5, 47, 49, 62
- blr\_segment\_dist, 5, 47, 48, 49, 62
- blr\_segment\_twoway, 5, 47, 49, 49, 62
- blr\_step\_aic\_backward, 50, 52, 54, 55, 58
- blr\_step\_aic\_both, 51, 51, 54, 55, 58
- blr\_step\_aic\_forward, 51, 52, 53, 55, 58
- blr\_step\_p\_backward, 51, 52, 54, 54, 58
- blr\_step\_p\_both, 56
- blr\_step\_p\_forward, 51, 52, 54, 55, 57
- blr\_test\_hosmer\_lemeshow, 7–9, 11–13, 15,  
40, 59
- blr\_test\_lr, 16–18, 41–43, 45, 46, 60
- blr\_vif\_tol (blr\_coll\_diag), 5
- blr\_woe\_iv, 5, 47, 49, 61, 62
- blr\_woe\_iv\_stats, 5, 47, 49, 62, 62
- hsb2, 63
- plot.blr\_gains\_table (blr\_gains\_table),  
10
- plot.blr\_segment\_dist  
(blr\_segment\_dist), 48
- plot.blr\_step\_aic\_backward  
(blr\_step\_aic\_backward), 50
- plot.blr\_step\_aic\_both  
(blr\_step\_aic\_both), 51
- plot.blr\_step\_aic\_forward  
(blr\_step\_aic\_forward), 53
- plot.blr\_step\_p\_backward  
(blr\_step\_p\_backward), 54
- plot.blr\_step\_p\_both (blr\_step\_p\_both),  
56
- plot.blr\_step\_p\_forward  
(blr\_step\_p\_forward), 57
- plot.blr\_woe\_iv (blr\_woe\_iv), 61
- stepwise, 63