

Package: xplorerr (via r-universe)

September 12, 2024

Type Package

Title Tools for Interactive Data Exploration

Version 0.1.2.9000

Description Tools for interactive data exploration built using 'shiny'. Includes apps for descriptive statistics, visualizing probability distributions, inferential statistics, linear regression, logistic regression and RFM analysis.

Depends R(>= 3.2.4)

Imports Rcpp, shiny, utils

Suggests blorr, data.table, descriptr, DT, grid, haven, highcharter, jsonlite, kableExtra, magrittr, olsrr, plotly, rbokeh, readr, readxl, rfm, shinyBS, shinycssloaders, shinythemes, tools, vistributions

URL <https://github.com/rsquaredacademy/xplorerr>,
<https://xplorerr.rsquaredacademy.com/>

BugReports <https://github.com/rsquaredacademy/xplorerr/issues>

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

LinkingTo Rcpp

Repository <https://rsquaredacademy.r-universe.dev>

RemoteUrl <https://github.com/rsquaredacademy/xplorerr>

RemoteRef HEAD

RemoteSha 37c2a74b52760cc5d383d9b7b64f9175a04c566f

Contents

app_descriptive	2
app_inference	2
app_linear_regression	3
app_logistic_regression	3
app_rfm_analysis	4
app_vistributions	4
app_visualizer	5
exam	5
hsb	6
treatment	6
xplorerr	7
xpl_gvar	7
xpl_nsignC	7

Index	8
--------------	----------

app_descriptive	<i>Descriptive Statistics</i>
-----------------	-------------------------------

Description

Launches the descriptive statistics app.

Usage

```
app_descriptive()
```

Examples

```
## Not run:
app_descriptive()

## End(Not run)
```

app_inference	<i>Inferential Statistics</i>
---------------	-------------------------------

Description

Launches the inferential statistics app.

Usage

```
app_inference()
```

Examples

```
## Not run:  
app_inference()  
  
## End(Not run)
```

app_linear_regression Linear Regression

Description

Launches the linear regression app.

Usage

```
app_linear_regression()
```

Examples

```
## Not run:  
app_linear_regression()  
  
## End(Not run)
```

*app_logistic_regression
Logistic Regression*

Description

Launches the logistic regression app.

Usage

```
app_logistic_regression()
```

Examples

```
## Not run:  
app_logistic_regression()  
  
## End(Not run)
```

app_rfm_analysis *RFM Analysis*

Description

Launches the RFM analyssi app.

Usage

```
app_rfm_analysis()
```

Examples

```
## Not run:  
app_rfm_analysis()  
  
## End(Not run)
```

app_vistributions *Visualize distributions*

Description

Launches app for visualizing probability distributions.

Usage

```
app_vistributions()
```

Examples

```
## Not run:  
app_descriptive()  
  
## End(Not run)
```

app_visualizer	<i>Visualization</i>
----------------	----------------------

Description

Launches the visualizer app.

Usage

```
app_visualizer()
```

Examples

```
## Not run:  
app_visualizer()  
  
## End(Not run)
```

exam	<i>Dummy data set for Cochran's Q test</i>
------	--

Description

A dataset containing information about results of three exams.

Usage

```
data(exam)
```

Format

A data frame with 15 rows and 3 variables:

exam1 result of exam1

exam2 result of exam2

exam3 result of exam3

Source

<https://www.spss-tutorials.com/spss-cochran-q-test/>

hsb

High School and Beyond Data Set

Description

A dataset containing demographic information and standardized test scores of high school students.

Usage

```
data(hsb)
```

Format

A data frame with 200 rows and 10 variables:

id id of the student

female gender of the student

race ethnic background of the student

ses socio-economic status of the student

schtyp school type

prog program type

read scores from test of reading

write scores from test of writing

math scores from test of math

science scores from test of science

socst scores from test of social studies

Source

<https://nces.ed.gov/surveys/hsb/>

treatment

Dummy data set for 2 Sample Proportion test

Description

A dataset containing information about two treatments

Usage

```
data(treatment)
```

Format

A data frame with 50 rows and 2 variables:

treatment1 result of treatment type 1

treatment2 result of treatment type 2

xplorerr	xplorerr <i>package</i>
----------	-------------------------

Description

R Shiny app for interactive statistical analysis

Details

See the README on [GitHub](#)

xpl_gvar	<i>Repeat data</i>
----------	--------------------

Description

Repeat data

Usage

```
xpl_gvar(ln, ly)
```

Arguments

ln A list

ly A list

xpl_nsignC	<i>Return sign</i>
------------	--------------------

Description

Return sign

Usage

```
xpl_nsignC(x)
```

Arguments

x A numeric vector

Index

* datasets

exam, 5

hsb, 6

treatment, 6

app_descriptive, 2

app_inference, 2

app_linear_regression, 3

app_logistic_regression, 3

app_rfm_analysis, 4

app_vistributions, 4

app_visualizer, 5

exam, 5

hsb, 6

treatment, 6

xpl_gvar, 7

xpl_nsignC, 7

xplorerr, 7